AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of the Claims

- 1. (Currently Amended) A method of assembling several DNA units in sequence in a DNA construct, which method comprises the steps of
- a) providing each desired DNA unit to be assembled in the DNA construct, wherein each desired DNA unit has a restriction enzyme recognition sequence at its 5' end and a recognition sequence for the same restriction enzyme at its 3' end, said 3' recognition sequence being combined with a <u>partially overlapping</u> DNA methylase recognition sequence, and cleaving each desired DNA unit with said restriction enzyme, such that each desired DNA unit maintains said 3' DNA methylase recognition sequence,
- b) providing a starting DNA construct having an accessible restriction site for said restriction enzyme and cleaving the starting DNA construct with said restriction enzyme to yield a cleaved DNA construct,
- c) inserting a first desired DNA unit provided in step a) into the cleaved DNA construct, thereby generating a ligated product, and bringing the ligated product into contact with a DNA methylase such that the restriction site at the 3'_end of the first desired DNA unit in the ligated product is abolished, thereby generating a methylated_ligated product containing a DNA modification,
- d) cleaving the <u>methylated</u> ligated product containing a DNA modification generated in step c) with said restriction enzyme such that said 5' restriction enzyme recognition sequence of said first desired DNA unit <u>in the methylated ligated product</u> is cleaved to yield a cleaved ligated product,

- e) repeating steps c) and d) with each subsequent desired DNA unit provided in step a), thereby generating a DNA construct containing all the desired DNA units in sequence,
- e) inserting a next desired DNA unit provided in step a) into the cleaved ligated product from step d), thereby generating a next ligated product, and bringing the next ligated product into contact with a DNA methylase such that the restriction site at the 3' end of the next desired DNA unit in the next ligated product is abolished, thereby generating a methylated next ligated product-containing a DNA modification.
- f) cleaving the <u>methylated</u> next ligated product <u>containing a DNA</u>

 modification generated in step e) with said restriction enzyme such that said 5'
 restriction enzyme recognition sequence of said next desired DNA unit <u>in the</u>

 methylated next ligated product is cleaved to yield a cleaved ligated product,
- g) repeating steps e) and f) with each subsequent desired DNA unit provided in step a), thereby generating a DNA construct containing all the desired DNA units in sequence.
- 2. (Canceled)
- 3. (Previously Presented) The method of claim 1 wherein the methylase is a dam methylase of *Escherichia coli*.
- 4. (Currently Amended) A method of assembling several DNA units in a DNA construct which method comprises the steps of
 - a) providing each desired DNA unit to be assembled in the DNA construct, wherein each desired DNA unit has a *Xba*I recognition sequence 5'XXTCTAGA3', wherein XX is not GA, at its 5' end and a *Xba*I recognition sequence 5'GATCTAGA3' at its 3' end,
- b) providing a starting DNA construct having an accessible XbaI site and cleaving the starting DNA construct with XbaI to yield a cleaved DNA construct,
- c) inserting a first desired DNA unit provided in step a) into the cleaved DNA construct from step b), thereby generating a ligated product, and using the

ligated product to transform a dam+ strain of *E. coli*, thereby generating a <u>methylated</u> ligated methylated product,

- d) recovering the <u>methylated</u> ligated <u>methylated</u> product from step c) and cleaving the <u>methylated</u> ligated <u>methylated</u> product at an accessible *XbaI* site with *XbaI*, such that said 5' *XbaI* restriction enzyme recognition sequence of said first desired DNA unit is cleaved, thereby generating a cleaved ligated product,
- e) inserting a next desired DNA unit provided in step a) into the cleaved ligated product-from step d), thereby generating a next ligated product, and using the next ligated product to transform a dam+ strain of E. coli, thereby generating a methylated next ligated methylated product,
- f) recovering the <u>methylated</u> next ligated <u>methylated</u> product from step e) and cleaving the <u>methylated</u> next ligated product at an accessible *XbaI* site with *XbaI*, such that said 5' *XbaI* restriction enzyme recognition sequence of said next desired DNA unit is cleaved to yield a cleaved ligated product,
- g) repeating steps e) and f) with each subsequent desired DNA unit provided in step a), thereby generating a DNA construct containing all the desired DNA units in sequence.
- 5. (Currently Amended) The method of Claim 1 or 3 wherein the recognition sequences for the <u>a</u> restriction enzyme and the DNA methylase <u>recognition sequence</u> are created in the DNA units prior to cutting with the restriction enzyme.
- 6. (Previously Presented) The method of any one of claims 1, 3, or 4 wherein the restriction enzyme recognition sequences are created in each DNA unit by means of a primer extension reaction.
- 7. (Previously Presented) The method of any one of claims 1, 3, or 4 wherein the DNA construct is an expression vector capable of facilitating expression of a protein encoded by the desired DNA units.

- 8. (Currently Amended) The method of claim 3, wherein the <u>methylation of the DNA construct containing all the desired DNA units in sequence generated in Claim 1 Step g) DNA modification of the ligated product containing a DNA modification is removed and the restriction site re-established by replicating the ligated product in a *dam* strain of *E. coli*.</u>
- 9. (Currently Amended) A method of making an assembly of several DNA units in sequence which method comprises the steps of:
- a) providing a starting DNA construct comprising a first DNA unit with a recognition sequence for a first restriction enzyme at the 3' end of said DNA unit, and cleaving said first DNA unit with said first restriction enzyme, thereby generating a cleaved starting DNA construct,
- b) providing each desired DNA unit to be assembled in sequence, wherein each desired DNA unit has a recognition sequence at its 5' end for a second restriction enzyme which has a compatible ligation sequence with that of the first restriction enzyme, and a downstream recognition sequence for said first restriction enzyme followed by a downstream recognition sequence for a third restriction enzyme at its 3' end, and cleaving a first desired DNA unit with the second and third restriction enzyme, thereby generating a cleaved first desired DNA unit,
- c) ligating said cleaved starting DNA construct with the cleaved first desired DNA unit generated in step b) to form a ligated product such that the ligation of the cleaved starting DNA construct and the cleaved first desired DNA unit abolishes the recognition site for the first restriction enzyme at a ligation junction of the cleaved starting DNA construct and the first cleaved desired DNA unit, and cleaving the ligated product with said first restriction enzyme, thereby generating a cleaved product,
- d) cleaving a next desired DNA unit provided in step b) with the second and third restriction enzymes, thereby generating a cleaved next desired DNA unit.,

- e) ligating the cleaved product from step c) with the cleaved next desired DNA unit from step d) to form a next ligated product such that the ligation of the cleaved product and the cleaved next desired DNA unit abolishes the recognition site for the first restriction enzyme at a ligation junction of the cleaved product and the cleaved next desired DNA unit, and cleaving the next ligated product with said first restriction enzyme, thereby generating a next cleaved product,
- f) repeating step d) with a subsequent desired DNA unit provided in step b) and ligating said subsequent desired DNA unit with the next cleaved product from step e) to form a subsequent ligated product and cleaving the subsequent ligated product with said first restriction enzyme, thereby generating a next cleaved product, and
- g) repeating step f) with each desired DNA unit provided in step b) in turn so as to assemble the DNA units in sequence.
- 10. (Currently Amended) A method of making an assembly of several DNA units in sequence which method comprises the steps of:
- a) providing a starting DNA construct comprising a first DNA unit with a *Xba*I recognition sequence 5'TCTAGA3' at its 3' end, and cleaving said first DNA unit with *Xba*I, thereby generating a cleaved starting DNA construct,
- b) providing each desired DNA unit to be assembled in sequence, wherein each desired DNA unit has a *Spe*I recognition sequence 5'ACTAGT3' at its 5' end, and downstream *Xba*I recognition sequence 5'TCTAGA3' followed by a downstream *Sma*I recognition sequence 5'CCCGGG3' at its 3' end and cleaving a first desired DNA unit with *Spe*I and *Sma*I, thereby generating a cleaved first desired DNA unit, and dephosphorylating the 5' end of the cleaved first desired DNA unit, thereby generating a cleaved dephosphorylated first desired DNA unit.
- c) ligating said cleaved starting DNA construct with the cleaved dephosphorylated first desired DNA unit generated in step b) to form a ligated product and cleaving the ligated product with *XbaI*, thereby generating a cleaved product,
- d) cleaving a next desired DNA unit provided in step b) with SpeI and SmaI, and dephosphorylating the 5' end of the cleaved next desired DNA unit, thereby generating a cleaved dephosphorylated next desired DNA unit,

- e) ligating the cleaved product from step c) with the cleaved dephosphorylated next desired DNA unit from step d) to form a next ligated product and cleaving the next ligated product with XbaI, thereby generating a cleaved product, and
- f) repeating steps d) and e) with each desired DNA unit provided in step b) in turn so as to assemble the DNA units in sequence.
- 11. (Previously Presented) The method of claim 9 or 10 wherein the assembly occurs via stepwise addition of at least one DNA unit to a vector.
- 12. (Previously Presented) The method of claim 9 or 10 wherein the said first DNA unit is attached to a solid phase for use in step c).
- 13. (Currently Amended) The method of claim 12 wherein the solid phase is combined with a subsequent desired DNA unit in step c) or step e) to make several different assemblies.
- 14. (Previously Presented) The method of claim 9 or claim 10, wherein the recognition sequences in one or more of the DNA units are introduced by means of extension primers.
- 15. (Previously Presented) The method of claim 9 or claim 10, wherein the assembly of several DNA units is inserted into an expression vector which is used to transform a host capable of expressing a protein encoded by the assembly of several DNA units.
- 16. (Previously Presented) The method of one of claims 1, 4, 9, or 10, wherein one or more of the DNA units encodes a catalytic or transport protein domain.
- 17. (Previously Presented) The method of claim 16 wherein one or more of the DNA units are derived from DNA sequences of polyketide synthesizing enzyme domains.
- 18. (Withdrawn).

- 19. (Withdrawn).
- 20. (Withdrawn).
- 21. (Previously Presented) The method of claim 16 wherein one or more of the DNA units encode modules comprising one or more catalytic or transport domains.
- 22.-48. (Cancelled)